



- NOTES**
1. MATERIALS AND CONSTRUCTION TO BE IN ACCORDANCE WITH BS1722: PART 12.
 2. ALL METAL SHALL BE GALVANISED TO BS EN ISO 1461.
 3. POSTS TO BE LOCATED AT EACH CHANGE IN DIRECTION, AND AT A MAXIMUM OF 2760 mm CENTRES.
 4. FENCE PANELS TO BE RAKED ON SLOPING GROUND WITH POSTS STEPPED TO A MAXIMUM OF 100mm.
 5. ALL BOLT FIXINGS TO BE SNAP LOCK TYPE.
 6. ALL EXCAVATED MATERIAL TO BE REMOVED FROM SITE TO TIP.
 7. ALL DIMENSIONS ARE IN MILLIMETRES.
 8. FENCE TO BE REF: SP18 OR SP24 AS STATED IN THE CONTRACT.
 9. POLYESTER POWDER COATING TO BE JET BLACK (RAL 9005).
 10. FOUNDATIONS TO BE IN CONCRETE MIX ST2 TO CLAUSE 2602.

Walsall Council

Wolverhampton City Council

Dudley

FRAMEWORK CONTRACT FOR HIGHWAY WORKS - MINOR WORKS CONTRACT

Sandwell

Regeneration and Transportation

Drawing Title:
STEEL PALISADE FENCE

DRAWN	APN	DATE	JUL/09
CHECKED	JBF	SCALE	1 : 25

Drawing Number
SD/300/01

01