



## FRONT EVALUATION

## TYPE 1

## SECTION



## TYPE 2

### TYPE 3

# FRAMEWORK CONTRACT FOR HIGHWAY WORKS - MINOR WORKS CONTRACT



Walsall Council



**Hampton**



**Dudley**  
Metropolitan Borough Council

**Drawing Title:**

## STANDARD DETAIL

## BOUNDARY FENCE DETAILS

## NOTES

1. MATERIALS AND CONSTRUCTION TO BE IN ACCORDANCE WITH BS 1722 ; PART 2 AND BS 4072.
2. STRAINING POST SHALL BE 100 mm DIA. AND 1600 mm min. LENGTH AT 25 M CENTRES AND EACH CHANGE OF DIRECTION.
3. INTERMEDIATE POST SHALL BE 75 mm DIA. AND 1600 mm MIN. LENGTH.
4. STRUT SHALL BE 75 mm DIA. UPPER END NOTCHED INTO STRAINING POST AND LOWER END PEGGED INTO PLACE WITH 75 mm DIA. POST. ANGLE BETWEEN STRUT AND STRAINING POST SHALL NOT BE LESS THAN 45°.
5. WIRE MESH SHALL BE 150 mm x 150 mm ZINC COATED OR GALVANISED STEEL TO BS EN ISO 1461 FIXED TO LATERAL WIRES WITH SURCLIPS AT 500 mm CENTRES.
6. LATERAL WIRES SHALL BE 5 mm DIA. GALVANISED STEEL WIRE, STRAINED AND FIXED TO STRAINING POST WITH GALVANISED 'U' TACKS.
7. ALL TIMBER SHALL BE PEELED LARCH OR ROUND SOFTWOOD, TANAULISED OR PRESSURE IMPREGNATED WITH PRESERVATIVE TO BS4072.
8. ALL DIMENSIONS ARE IN MILLIMETRES.

DRAWN	APN	DATE	JUL/09
CHECKED	JBF	SCALE	NTS

Drawing Number

SD/300/08

01