


NOTES

1. MATERIALS AND CONSTRUCTION TO BE IN ACCORDANCE WITH BS1722 ; PART 7 AND BS 4072.
2. FENCE REFERENCE TO BE TYPE SPR 13/4 TO BS1722: PART 7 BUT WITHOUT PRICK POSTS.
3. WHERE REQUIRED STOCK NETTING IS TO BE SECURED WITH GALVANISED STAPLES TO POSTS AND RAILS.
4. ONE STRAND OF BARBED WIRE STAPLED TO POSTS WHERE REQUIRED.
5. ALL DIMENSIONS ARE IN MILLIMETRES.
6. WHERE THE ENGINEER HAS DIRECTED THAT POSTS ARE TO BE SET IN CONCRETE HOLES SHALL BE FORMED NOT LESS THAN 400 mm SQUARE IN PLAN AND CONCRETING CARRIED OUT AS CLAUSE 2.7 OF BS1722 ; PART 7.
7. RAILS SHALL BE 38 mm x 87 mm AND BE FIXED TO THE POSTS WITH TWO NAILS AT EACH END AND AT THE CENTRE. (RAILS TO BE STAGGERED).
8. NAILS SHALL BE 4 mm x 100 mm ROUND WIRE AND GALVANISED IN ACCORDANCE WITH THE REQUIREMENTS OF BS EN ISO 1461.
9. PRESERVATIVE TREATMENT SHALL BE IN ACCORDANCE WITH BS1722 ; TABLES 2 AND 3 AND CLAUSE 311.
10. FOUNDATIONS TO BE IN CONCRET MIX ST2 TO CLAUSE 2602.

ARRANGEMENT FOR HORIZONTAL
CHANGES IN DIRECTION



FRAMEWORK CONTRACT FOR HIGHWAY WORKS - MINOR WORKS CONTRACT

**Walsall Council**

**Wolverhampton City Council**

**Dudley Metropolitan Borough Council**

**Sandwell Metropolitan Borough Council**

**Regeneration and Transportation**

Drawing Title:

STANDARD DETAIL
PERMANENT TIMBER
THREE RAIL FENCE

DRAWN	APN	DATE	JUL/09
CHECKED	JBF	SCALE	NTS
Drawing Number			Rev

SD/300/10 01