



GENERAL NOTES

1. RAILS TO BE CELCIUS HBP
2. CORUS TUBES OR SIMILAR
3. ALL OTHERS HOLLOW SECT

GENERAL NOTES

1. RAILS TO BE CELCIUS HBB 100mm x 100mm RHS AS MANUFACTURED BY CORUS TUBES OR SIMILAR APPROVED.
2. ALL OTHER HOLLOW SECTIONS TO BE CELCIUS 365 STRUCTURAL HOLLOW SECTIONS AS MANUFACTURED BY CORUS TUBES OR SIMILAR APPROVED.
3. ALL OTHER STEEL SECTIONS TO BE GRADES AS NOTED.
4. STAINLESS STEEL HEXAGONAL HEAD SCREWS TO BE GRADE A4 CLASS 80 TO BS EN ISO 3506-1 & BS EN ISO 4017, PLAIN WASHERS TO BE TO BS EN ISO 7089, SPRING WASHERS TO BE TO BS 4464, STEEL WASHERS TO BE GALVANISED TO BS EN ISO 1461, AND STAINLESS STEEL WASHERS TO BE GRADE A4.
5. POSTS SHALL BE VERTICAL TO WITHIN 15mm OVER 1000mm.
6. RAILS SHALL BE SET TO GIVE A SMOOTH-FLOWING LINE WITH A MINIMUM HEIGHT OF 1000mm FROM ADJOINING PAVED SURFACE TO TOP OF TOP RAIL.
7. POST / RAIL CONNECTION BRACKETS SET TO FOLLOW SLOPE OF RAILS.
8. PARAPET MANUFACTURE AND INSTALLATION SHALL ONLY BE CARRIED OUT BY APPROVED AND LICENCED COMPANIES.
9. ALL CARBON STEEL MATERIALS TO BE HOT DIPPED GALVANISED AFTER MANUFACTURE TO BS EN ISO 1461.
10. ALL PLATES TO BE GRADES NOTED TO BS EN ISO 025.
11. THIS DRAWING IS BASED ON CORUS TUBES DRAWING NO. P365/P/101 AND IS THE COPYRIGHT OF © CORUS TUBES.

FRAMEWORK CONTRACT FOR HIGHWAY WORKS - MINOR WORKS CONTRACT

STANDARD DETAIL

Drawing Title:

N1 VEHICLE PARAPET (70mph)

Drawing Number	Rev
SD/400/06	01